

STATE HEALTH PLANNING AND DEVELOPMENT AGENCY

DAVID Y. IGE GOVERNOR OF HAWAII

ELIZABETH A. CHAR, M.D.

SERAFIN COLMENARES, JR., Ph.D., M.P.H. ADMINISTRATOR

1177 Alakea St., #402, Honolulu, HI 96813 Phone: 587-0788 Fax: 587-0783 www.shpda.org

June 2, 2021

CERTIFIED MAIL, RETURN RECEIPT REQUESTED

Brian Cunningham Chief Executive Officer Wahiawa General Hospital 128 Lehua Street Wahiawa, HI 96786

Dear Mr. Cunningham:

The State Health Planning and Development Agency has evaluated Wahiawa General Hospital's Certificate of Need application #21-10A for the addition of 21 skilled nursing facility/intermediate care facility beds and the deletion of 21 medical/surgical beds, at a capital cost of \$45,000.

Pursuant to Title 11, Chapter 186 of the Hawaii Administrative Rules (HAR), the Agency finds that:

- (a) The proposal is eligible for administrative review as it meets the criterion in HAR 11-186-99.1(b)(6) i.e.: "Any proposal which is determined by the agency not to have a significant impact on the health care system."
- (b) The applicant, Wahiawa General Hospital, has proven by a preponderance of the evidence that its proposal meets the Certificate of Need criteria in HAR 11-186-15(a).
- (c) There is no compelling public interest which will be served by requiring the application to go through the standard review process.

As required under Section 323D-43(b), Hawai'i Revised Statutes (HRS), the Agency concludes and determines that:

- 1. There is a public need for this proposal.
- 2. The cost of this proposal will not be unreasonable in light of the benefits it will provide and its impact on health care costs.

#21-10A, Administrative Review Decision June 2, 2021 Page 2

Accordingly, the State Health Planning and Development Agency hereby APPROVES and ISSUES a Certificate of Need to Wahiawa General Hospital for the proposal described in Certificate of Need application #21-10A. The maximum capital expenditure allowed under this approval is \$45,000.

C: OHCA

Serafin Colmenares, Jr.

Administrator